

SPC WALL PANEL [2024] NEW DESIGN

Style Up Your Home



SPC WALL PANEL

The perfect blend of innovation and elegance.SPC wall panels, with their stunning stone textures, offer an unparalleled combination of aesthetics and functionality, radiating a natural charm that is both classic and modern.

INT

PRODUC

MATERIA ADVANTA SERIES SPECIFIC

PRODUC

DAWN ST SLATE CO NOCTUR MOSAIC S CLASSICA

ACCESSO

INSTALL

PACKAG

CO DECO	DR
CT PROFILE AL AGES CATIONS	01 02 03 04
CT SERIES	05
TONE ONTOUR RNE ROCK STONE ENSEMBLE CAL ROCK ESSENCE	05 07 09 11 13
ORIES	15
ATION	16
ING&SHIPPING	17



MATERIAL





SPC Rigid Core	High-performance composite panels that combine the exceptional qualities of stone and plastic, delivering outstanding strength and resilience.
Decor Film Layer	We offer widely popular texture patterns suitable for various home styles. Our high-definition, intricate textures closely mimic real materials.
UV Coating Layer	High-performance UV coating treatment can effectively prevent damage to the board caused by ultraviolet rays.

ADVANTAGES





Waterproof

SPC UV BOARD has the advantage of being waterproof and moisture-resistant, addressing the weakness of traditional wall panels that are susceptible to water.

Fireproof

The combustion test level reaches B1, and the material is effectively fireproof.



Eco-friendly and formaldehyde-free, it is a new type of green and environmentally friendly decorative material.



Easy to Install

Installation is convenient, saving a considerable amount of time and money



Easy to clean

The surface is smooth and easy to clean, preventing the accumulation of stains.



Diverse design options

PRODUCT PROFILE

Offers a wide range of textures and colors suitable for various interior design styles, meeting diverse needs.




SERIES

Dawn Stone 🚺 🕅 🕱









JF12203-UV-8870







JF12203-UV-1561


JF12203-UV-8066

JF12203-UV-88672 JF12203-UV-88263

Slate Contour \Lambda 🕅 🕅









JF12203-UV-88493 JF12203-UV-88652

JF12203-UV-9056


JF12203-UV-MTKG

JF12203-UV-88226 JF12203-UV-8040





JF12203-UV-82312 JF12203-UV-88492 JF12203-UV-88651 JF12203-UV-88671 JF12203-UV-80052






JF12203-UV-8231

JF12203-UV-06W1 JF12203-UV-8803

Mosaic Stone Ensemble 🔥 🕅 🛣













SPECIFICATIONS

ltem	SPC Wall Panel	Thickness	3mm
Process Type	Extrusion+hot-stamping+UV coating+PE protection film/ Extrusion+PVC film+PE protection film	Weight	6.2KG/m²
Material	PVC+Calcium carbonate+Additive	Density	2000kg/m³
Length	2440mm (Standard size) / 2800mm /2900mm / customized	Certificates	Fire retardant grade:B2
Width	1220mm (Dawn Stone, Nocturne Rock, Slate Contour, Mosaic Stone Ensemble)	Installation	Glue+Aluminium profile
	1200mm (Classical Rock Essence)		



JF12203-UV-8088

JF12203-UV-8259

JF12203-YY-26032

JF12203-YY-80401

JF12203-YY-88502 JF12203-YY-85534

JF12203-YY-26042













JF12203-UV-1164



JF12203-UV-8176 JF12203-UV-88653

Classical Rock Essence 🚺 🕅 🕱

JF12203-YY-9591

JF12203-YY-98421



JF12203-YY-88531





JF12203-YY-88538 JF12203-YY-88539 JF12203-YY-9951

PRODUCT PROFILE





DAWN STONE


1220 x 2440 x 3 mm













JF12203-UV-8871

05

Dawn Stone

JF12203-UV-88672

JF12203-UV-1561



JF12203-UV-8066



JF12203-UV-8870



JF12203-UV-8230



SLATE CONTOUR

1220 x 2440 x 3 mm



The Slate Contour series showcases a minimalist and modern design ethos through its unique grey hues. Each panel is a masterpiece of nature, understated and reflective, offering a stable and elegant backdrop for contemporary home spaces. It's a refined interpretation of urban living, as well as a profound expression of fashion-forward thinking.






JF12203-UV-88226

JF12203-UV-9056

SLATE CONTOUR



JF12203-UV-MTKG



JF12203-UV-8040

08



NOCTURNE ROCK

1220 x 2440 x 3 mm









JF12203-UV-8803

09





JF12203-UV-88651



JF12203-UV-1164







JF12203-UV-88492



JF12203-UV-06W1



MOSAIC STONE ENSEMBLE

1220 x 2440 x 3 mm









piece a singular work of the wilderness. From warm beiges to cool slate greys, each color tells a tale, bringing a versatile selection to your living environment. More than decoration, this series is a feast for the senses, an elevation of lifestyle and taste.


JF12203-UV-8088

NOCTURNE ROCK

JF12203-UV-88653



JF12203-UV-8087





CLASSICAL ROCK ESSENCE

1220 x 2440 x 3 mm



The Classical Rock Essence series embodies a perfect blend of European classicism and natural aesthetics. Each rock board is a testament to time, bearing the imprints of geological history. Its textures are profound and artistic, as if reviving the elegance and durability of ancient stone in modern design. This is more than just a wall decoration; it is a legacy of culture and history, offering a perfect choice for those who seek a refined quality of life.







JF12203-YY-9951

CLASSICAL ROCK ESSENCE



JF12203-YY-88512



JF12203-YY-88532



JF12203-YY-88511

JF12203-YY-88531


JF12203-YY-88521


JF12203-YY-88539



ACCESSORIES


JA521#







_









JA525#





14mm 14mm













PREMIUM NEUTRAL SILICONE SEALANT



DESCRIPTION

It is a one-component, medium modulus, neutral silicone sealant, demonstrating good adhesion to most common buildingmaterials, e.g. metal, stone, glass, non-oily wood, silicone rubber, ceramic, natural and synthetic fiber, brick, concrete, painted and many plastic surfaces.

VALL PANE

WHERE TO USE

It is fit for sealing movement joints of door and windowand others', where durable and fast bonding is expected. Apply sealant when surface temperature is between 5°C to40°C.

🗹 Easy to Use

Excellent Adhesion

✓ Waterproofing





Ņ:



TOOLS TO PREPARE

INSTALLATION





Electric Circular Saw

Nail Gun






Nail Free Glue (Must be neutral nail-free adhesive) Glue Gun

INSATALLATION





ACCESSORIES & INSTALLATION

SCAN TO WATCH THE INSTALLATION VIDEO





Metal Trim



SPC Wall Panel


Knife



Seam Patch



PACKAGING & SHIPPING



PALLET PACKAGING

- Each pallet is loaded with 100 pieces of the product. Chipboard is used to cover five sides for protection, and strapping bands secure the products, ensuring safety during transportation.
- The total weight of each pallet is approximately 1.9 tons, optimizing transporta-tion efficiency while considering load safety.

CONTAINER LOADING


- For products measuring 2440mm in length, a 20-foot container can hold 14 pallets
- When pallets are placed on their sides, an additional pallet is added underneath for enhanced stability.
- The minimum order quantity for each design is 100 pieces, meeting diverse customer needs.

NOTE

12 Pallets / Container


- Do not dismantle the pallet packaging without permission to avoid affecting product quality and safety.
- Ensure the pallets are securely fixed during transportation to prevent damage due to vibration or tilting.

2390mm




RECOMMENDED FORKLIFT SIZE

Forklifts with a 1.3-meter-wide reach are used for handling pallets, accommodating pallet size and ensuring ease of operation.



Product Specifications	PCS/Pallet	Weight/Pallet	20GP Container Loading		Total
			Number of Pallets	Number of Pieces	Weight
2440 x 1220 x 3 mm	100	1.9 t	14	1400	26.6 t
2800 x 1220 x 3 mm	100	2.2 t	12	1200	26.4 t
2900 x 1220 x 3 mm	100	2.24 t	12	1200	26.9 t
2440 x 1200 x 3 mm	100	1.87 t	14	1200	26.2 t
2800 x 1200 x 3 mm	100	2.14 t	12	1200	25.7 t
2900 x 1200 x 3 mm	100	2.21 t	12	1200	26.5 t





Global logistics

Our products are renowned globally, and we have amassed exten-sive experience in sales and transportation. We provide profession-al and efficient logistic solutions to ensure the safe and timely delivery of our products to our customers. Our goal is to make our high-quality products easily accessible to every customer through a seamless global logistics network.

17

PACKAGING & SHIPPING

Note: This is an estimated theoretical weight



INTCO DECOR



www.intcodecor.com Follow us on social media @Intco Decor

